



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 1 of 1

Author Signature

<i>Name</i>	<i>Role</i>	<i>Date</i>	<i>Signature</i>
Nuno Lages	Author	23-October-2018	

Approver Signatures

<i>Name</i>	<i>Role</i>	<i>Date</i>	<i>Signature</i>
Ricardo Valente	Approver	23-October-2018	

Revision History

<i>Version</i>	<i>Date</i>	<i>Reason for changes</i>	<i>Description of changes made</i>
1.0	07-June-2018	Initial document	N/A
2.0	27-July-2018	Test case correction	Introduction of the operation “verify single” or “bulk verify pack” as a first step in the test cases where is applicable. PTMVS-W-21 test description update.
3.0	30-July-2018	Test case renaming	“Undo bulk” tests renaming.
4.0	23-October-2018	Pilot phase end date change	Pilot phase end date change

THE SOLE FUNCTION OF THE ABOVE TEXT IS TO APPROVE THE VERSION OF THIS USER ACCEPTANCE TEST PLAN PTMVS TEMPLATE (WHOLESALE TEST CASES) AND TO MAINTAIN THE REVISION HISTORY. IT IS NOT PART OF THE PILOT PHASE APPROACH AND PLAN ITSELF. NOTE THAT A SEPARATE HEADER AND FOOTER IS USED ON THIS FIRST PAGE.

Table of Contents

1.	Purpose.....	3
2.	Scope.....	3
3.	Pilot phase general goals.....	4
4.	Approach and governance	4
4.1	Pilot phase duration.....	4
4.2	Preconditions to participate.....	4
4.3	Access to test environment	4
4.4	Test environment	5
4.5	Testing process	5
4.5.1	Test planning	5
4.5.2	Test execution.....	5
4.5.3	Test abortion criteria	5
4.5.4	Test results, discussion and follow-up	5
4.6	Exit criteria for the Pilot phase	6
5.	Access to Production Environment (PRD).....	6
6.	System description.....	6
7.	Definitions	7
8.	Test cases	8
8.1	Attributes to be tested	8
8.2	Test cases – Single pack transactions	10
8.2.1	PTMVS-W-01 Verify, dispense and undo dispense single pack	10
8.2.2	PTMVS-W-02 Dispense single pack manual entry.....	11
8.2.3	PTMVS-W-03 Export single pack and undo export single pack	12
8.2.4	PTMVS-W-04 Sample single pack and undo sample single pack.....	13
8.2.5	PTMVS-W-05 Free sample single pack and undo free sample single pack.....	14
8.2.6	PTMVS-W-06 Lock single pack and undo lock single pack.....	15
8.2.7	PTMVS-W-07 Destroy single pack	16
8.2.8	PTMVS-W-08 Stolen single pack	17
8.2.9	PTMVS-W-09 Stolen single pack manual entry.....	18
8.2.10	PTMVS-W-10 Alarm generation	19
8.3	Test cases – Bulk pack transactions.....	20
8.3.1	PTMVS-W-11 Bulk verify packs, bulk dispense packs, undo bulk dispense packs and request bulk transaction result	20
8.3.2	PTMVS-W-12 Bulk export packs to Non-EU and Undo bulk export packs to Non-EU	22
8.3.3	PTMVS-W-13 Bulk sample packs and Undo bulk sample packs.....	23
8.3.4	PTMVS-W-14 Bulk free sample packs and Undo bulk free sample packs.....	24



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 2 of 39

8.3.5	PTMVS-W-15 Bulk lock packs and Undo bulk lock packs.....	25
8.3.6	PTMVS-W-16 Bulk destroy packs	26
8.3.7	PTMVS-W-17 Bulk stolen packs	27
8.4	Test cases – Undo single pack transactions (10 days after the initial transaction)	28
8.4.1	PTMVS-W-18 Undo dispense single pack (10 days after the initial transaction)	28
8.4.2	PTMVS-W-19 Undo export single pack (10 days after the initial transaction)	29
8.4.3	PTMVS-W-20 Undo sample single pack (10 days after the initial transaction)	30
8.4.4	PTMVS-W-21 Undo free sample single pack (10 days after the initial transaction).....	31
8.5	Test cases – Undo bulk pack transactions (10 days after the initial transaction)	32
8.5.1	PTMVS-W-22 Undo bulk dispense packs (10 days after the initial transaction)	32
8.5.2	PTMVS-W-23 Undo bulk export packs to Non-EU (10 days after the initial transaction) ..	34
8.5.3	PTMVS-W-24 Undo bulk sample packs (10 days after the initial transaction)	35
8.5.4	PTMVS-W-25 Undo bulk free sample packs (10 days after the initial transaction).	36
8.6	Test cases – Download product master data	37
8.6.1	PTMVS-W-26 Download product master data – 1 code.....	37
8.6.2	PTMVS-W-27 Download product master data – all codes.....	38
9.	Related documents	39



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 3 of 39

1. Purpose

The purpose of this document is to describe the objectives, approach, requirements, procedures and expected results for the Pilot phase, for Wholesalers.

In this Pilot phase, the integration between PTMVS and IT systems of selected Authorization Holders and selected End Users will be the main focus of the tests to be performed.

An End User, in the context of this document, is a physical person using the national system on behalf of the End User organization and in accordance with approved procedures.

Access to PTMVS will be granted by PTMVO to each individual person using a unique system account.

PTMVO is categorized as a GxP system and is connected to the EU Hub, a subsystem of the European Medicines Verification System (EMVS). End User IT systems will be connected to PTMVS via an interface or a web portal.

2. Scope

The scope of this document consists of the description of the objectives, approach, requirements, entry criteria, test scenarios, exit criteria, test abortion criteria and documentation criteria applicable to Wholesalers.

The internal organization and processes of the Wholesaler will not be assessed by PTMVO. Each Wholesaler is responsible for defining and implementing its own internal organization, processes and procedures in order to comply with the Delegated Regulation and other applicable legislation. The decisions concerning the integration with PTMVS are taken by each Wholesaler.

The test scenarios described in this document are considered sufficient to verify the functioning of the integration between PTMVS and the Wholesaler's system. The Wholesaler can perform any other tests it may consider relevant. Those additional tests will not be followed-up by PTMVO.

No software audit or certification whatsoever will be granted by PTMVO to any piece of software of any Wholesaler.

Certain system functionalities may not be available for testing during the Pilot period. Those functionalities will be tested by PTMVO when available, and PTMVO may invite End Users for testing. Performance testing will not be part of the Pilot period scope, once those tests will be assured by Arvato directly.

3. Pilot phase general goals

The overall objective of the Pilot is to simulate, as similar to real world conditions as possible, the utilization of the national verification system. For Wholesalers specifically, the main goal is to verify the system interface and the success of the transaction performed in the in PTMVS, according to predefined test scenarios.

4. Approach and governance

The conditions for testing the integration between End User IT system and PTMVS are to be set as similar to real world utilization as possible. Those conditions are described in the following sections.

4.1 Pilot phase duration

- The Pilot phase will occur between July 2nd 2018 and February 8th 2019.
- Despite the fixed interval for the Pilot Phase, each End User can decide on the date to start executing the tests. It is not necessary to start on July 2nd. A joint planning must be in place between the End User and PTMVO concerning testing dates so PTMVO can assure proper support (see section 4.5.1 of this document).

4.2 Preconditions to participate

The participation in the Pilot phase is voluntary. End Users willing to participate in the Pilot phase must inform PTMVO by sending an email to mvo.portugal@mvoportugal.pt. This manifestation of interest can be done at any moment.

End Users willing to participate in the Pilot phase must complete the onboarding process with PTMVO, according to the described in the document MVOPT-0047_Onboarding of Wholesalers. By having completed the onboarding process with PTMVO is understood that the End User has completed the following actions:

- Having sent to PTMVO the Access Request Form (using the template MVOPT-0037 - Access Request Form_v3.0 or the template MVOPT-0039 - Access Request Form (PT)). Once duly filled, the document is to be sent to mvo.portugal@mvoportugal.pt, and must be explicitly accepted by PTMVO upon review. PTMVO will send a feedback note by email to the End User.
- Register in the Software Supplier Portal (<https://sws-nmvs.eu>) to have access to sandbox environment and technical documentation.
- Having provided proof of having successfully performed the tests described in the document Software Supplier Test Documentation NMVS v1.0, available on the Software Supplier Portal. The test results must be sent to PTMVO via email using the template document NMVS – Wholesaler - Test Report Template v1, to mvo.portugal@mvoportugal.pt, and must be explicitly accepted by PTMVO upon review. PTMVO will send a feedback note by email to the End User.
- Having provided two signed hardcopies of the Services Agreement to PTMVO postal address (Avenida Dom Vasco da Gama 34, 1400-128 Lisboa). The End User may use the English Version (MVOPT-0048_Services Agreement) or the Portuguese Version (MVOPT-0049_Services Agreement (PT)). A scanned version of the signed Services Agreement can be sent to mvo.portugal@mvoportugal.pt to accelerate the onboarding process.

4.3 Access to test environment

Only after having completed the steps described in the previous section the End User will be eligible for receiving the access credentials to IQE environment of PTMVS. The access credentials will consist of username, initial password and a certificate. These credentials will be supplies to the End User via email.

4.4 Test environment

- The tests will occur on PTMVS's Integrated Quality Environment (IQE), which is already connected to EU Hub IQE environment.
- The software version to be used during the pilot phase is identical to the software version to be deployed on the Production Environment (PRD). Eventual enhancements, resulting from the testing phase, may be included in the software version to be used once the system is in production.
- The data to be used will be supplied by PTMVO to each End User participating on the pilot phase. That will allow the determination of which set of data to be used in each test scenario, and thus better grasp the behavior of the systems. The data to be used may or may not be real pack data. If no real pack data is to be used, the data to be used will fulfill the requirements defined for Portuguese market, as per the published legislation and GS1 guidelines.

4.5 Testing process

The testing process has been structured as described in the following sections.

4.5.1 Test planning

The End User and PTMVO will establish a specific timeframe (i.e. a specific week or weeks) for the End User perform the tests. It is aimed with this approach to assure availability by PTMVO to the End User during the testing period. However, the End User is free to perform the tests at any other time.

4.5.2 Test execution

The End User performs the tests as per the distributed test scenarios and documents the results for ulterior discussion, using the template MVOPT-0059_Pilot Report - Wholesalers. The test scenarios are described on section 8 of this document.

PTMVO and the PTMVS IT supplier (Arvato) will be available to support during the testing period. Technical support is available via email and telephone. The contacts are available on the Software Supplier Portal.

4.5.3 Test abortion criteria

The testing may be stopped if:

- Disturbances/interference in the connection between End User IT system and PTMVS emerge after the testing has been commenced preventing the exchange of information.
- Disturbances/malfunctions in the IT infrastructure of End User IT system or PTMVS emerge after the testing has been commenced preventing the normal operation of either system.
- The resources allocated for testing become unavailable after the testing has been commenced preventing the continuation of testing.

4.5.4 Test results, discussion and follow-up

At the end of the testing period, the End User and PTMVO will discuss the test results. These discussions may happen with more than one End User at the same time. The scheduling of the discussions will occur upon agreement between the End User and PTMVO.



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 6 of 39

4.6 Exit criteria for the Pilot phase

The Pilot phase may end in different moments for different End Users. The Pilot phase will end for a given End User when:

- The test scenarios described in section 8 of this document have been successfully performed, or
- If not all test scenarios have been successful, the problems encountered are documented for analysis and resolution, or
- The Pilot phase has reached the final date (see section 4.1 of this document).

5. Access to Production Environment (PRD)

For the Pilot phase the Integrated Quality Environment (IQE) will be used. The Production Environment will not be used. Access to the Production Environment will be granted to all End Users that successfully accomplish the Pilot phase (see section 4.6 of this document). In order to be eligible for access to the Production Environment (PRD), the End User must provide the following documents:

- Pilot report summarizing the results of the test including a table of all test cases, screenshots, list of all defects, description of open defects/issues and final test conclusion. The screenshots of the output of the tested IT system as defined in respective test cases to be added to the Pilot report. For this, the template MVOPT-0059_Pilot Report - Wholesalers is to be used by the End User.
- Defect reports concerning all defects detected during testing. For this, the template MVOPT-0035_Defect Report Template is to be used by the End User.

6. System description

PTMVS will serve as the verification platform to which Wholesaler connects in order to verify the authenticity of medicinal products. Each Wholesaler has chosen an IT service provider that will deliver the Wholesaler system and the interface between the Wholesaler system and PTMVS. For the purpose of this document, the IT service provider can be an internal entity (i.e. the internal IT Department) or an external supplier.

In case of unavailability of the connection between the End User IT system and the PTMVS via the webservices, it will be possible the use of a web-based portal, a graphical user interface (GUI), for the purposes of verifying the authenticity of the unique identifier and decommissioning. In the test scenarios described on section 8 of this document including the expression "manual entry" the GUI will be used.



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 7 of 39

7. Definitions

Term/Acronym	Definition
Authorisation Holders	The group composed by Marketing Authorisation Holders and Parallel Importer Holders.
EMVS	European Medicines Verification System. The European system for medicines verification consisting of the European Hub, the NMVS, the interface between those two, and the interfaces to the manufacturer / parallel distributor systems, to the wholesaler systems and to the pharmacy systems.
EU Hub	The subsystem of the European Medicines Verification System that serves as a gateway for the transmission of manufacturer and parallel importer data to the national systems. Furthermore; data reconciliation on repackaging activities is performed on the EU Hub.
GxP System	A system that is subject to GxP regulations (x can mean: Clinical, Laboratory, Manufacturing, Pharmaceutical, etc...). The company must ensure that such systems comply with appropriate regulations.
End User	End User shall mean any wholesaler, pharmacy, hospital or other person authorized or entitled to supply medicinal products to the public as foreseen under the EU Directive on Falsified Medicines and the Delegated Regulation.
IQE	Integrated Quality Environment.
ITE	Integrated Test Environment.
IT Service Provider	The service provider that delivers the interface between the End User system and PTMVS. Is contracted by the End User.
MAH	Marketing Authorisation Holder.
NCA	National Competent Authority (In Portugal, INFARMED I.P.).
PIAH	Parallel Importer Authorisation Holder.
PRD	Production Environment.
PTMVO	Portuguese Medicines Verification Organisation.
PTMVS	Portuguese Medicines Verification System. A system in the European Medicines Verification landscape that serves as the verification platform for Portugal. The End Users registered (Pharmacies, Wholesalers, Hospitals or Other kind of End Users in the Portuguese context) check the authenticity of a product using a connection to this system.
SOP	Standard Operational Procedure.

8. Test cases

For the purpose of this document Wholesalers and Pre-Wholesalers are considered identical entities.

8.1 Attributes to be tested

The following attributes will be tested:

Process ID	Description
Single pack transactions	
G110	Verify single pack
G120	Dispense single pack
G121	Undo dispense single pack
G122	Dispense single pack manual entry
G130	Destroy single pack
G140	Export single pack
G141	Undo export single pack
G150	Sample single pack
G151	Undo sample single pack
G160	Free sample single pack
G161	Undo free sample single pack
G170	Lock single pack
G171	Undo lock single pack
G180	Stolen single pack
G182	Stolen single pack manual entry
Homogenous bulk transactions	
G115	Bulk verify packs
G125	Bulk dispense packs
G127	Bulk undo dispense packs
G135	Bulk destroy packs
G145	Bulk export packs to Non-EU
G147	Bulk undo export packs to Non-EU
G155	Bulk sample packs
G157	Bulk undo sample packs



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 9 of 39

G165	Bulk free sample packs
G167	Bulk undo free sample packs
G175	Bulk lock packs
G177	Bulk undo lock packs
G185	Bulk stolen packs
G188	Request bulk transaction result

8.2 Test cases – Single pack transactions

8.2.1 PTMVS-W-01 Verify, dispense and undo dispense single pack

Description	Test case to verify that transactions 'Verify single pack', 'Dispense single pack' and 'Undo dispense single pack' can be successfully performed via the Wholesaler IT system interface.
Transactions	G110 Verify single pack G120 Dispense single pack G121 Undo dispense single pack
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for the predefined packs. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Dispense single pack' for the packs verified in Step 1. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the packs dispensed in Step 2. Take a screenshot showing the result.	The status of the pack is INACTIVE (DISPENSED) and the operation is successfully completed.	
4	Perform the operation 'Undo dispense single pack' for the packs verified in Step 3. Take a screenshot showing the result.	The operation is successfully completed.	
5	Perform the operation 'Verify single pack' for the packs used in Step 4. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	

8.2.2 PTMVS-W-02 Dispense single pack manual entry

Description	Test case to verify that transaction 'Dispense single pack manual entry' can be successfully performed by manually introducing the data into the system.		
Transactions	G110 Verify single pack G122 Dispense single pack manual entry		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for the predefined packs. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Dispense single pack manual entry' for a predefined pack. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack dispensed in Step 1. Take a screenshot showing the result.	The status of the pack is INACTIVE (DISPENSED) and the operation is successfully completed.	

8.2.3 PTMVS-W-03 Export single pack and undo export single pack

Description	Test case to verify that transactions 'Export single pack' and 'Undo export single pack' can be successfully performed via the Wholesaler IT system interface.	
Transactions	G110 Verify single pack G140 Export single pack G141 Undo export single pack	
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.	
Acceptance criteria	All steps could be successfully completed.	
Successfully completed	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.	
Defect report reference		
Performed by		

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Export single pack' for the pack verified in Step 1. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack exported in Step 2. Take a screenshot showing the result.	The status of the pack is INACTIVE (EXPORTED) and the operation is successfully completed.	
4	Perform the operation 'Undo export single pack' for the pack verified in Step 3. Take a screenshot showing the result.	The operation is successfully completed.	
5	Perform the operation 'Verify single pack' for the pack used in Step 4. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	

8.2.4 PTMVS-W-04 Sample single pack and undo sample single pack

Description	Test case to verify that transactions 'Sample single pack' and 'Undo sample single pack' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G110 Verify single pack G150 Sample single pack G151 Undo sample single pack		
Precondition	The Wholesaler has been created in PTMVS. Test case PTMV-W-03 has been successfully completed.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Sample single pack' for a predefined pack. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack sampled in Step 1. Take a screenshot showing the result.	The status of the pack is INACTIVE (SAMPLE) and the operation is successfully completed.	
4	Perform the operation 'Undo sample single pack' for the pack verified in Step 3. Take a screenshot showing the result.	The operation is successfully completed.	
5	Perform the operation 'Verify single pack' for the pack used in Step 4. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	

8.2.5 PTMVS-W-05 Free sample single pack and undo free sample single pack

Description	Test case to verify that transactions 'Free sample single pack' and 'Undo free sample single pack' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G110 Verify single pack G160 Free sample single pack G161 Undo free sample single pack		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Free sample single pack' for a predefined pack. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack used in Step 1. Take a screenshot showing the result.	The status of the pack is INACTIVE (FREE SAMPLE) and the operation is successfully completed.	
4	Perform the operation 'Undo free sample single pack' for the pack verified in Step 2. Take a screenshot showing the result.	The operation is successfully completed.	
5	Perform the operation 'Verify single pack' for the pack used in Step 3. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	

8.2.6 PTMVS-W-06 Lock single pack and undo lock single pack

Description	Test case to verify that transactions 'Lock single pack' and 'Undo lock single pack' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G110 Verify single pack G170 Lock single pack G171 Undo lock single pack		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Lock single pack' for a predefined pack. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack used in Step 1. Take a screenshot showing the result.	The status of the pack is INACTIVE (LOCKED) and the operation is successfully completed.	
4	Perform the operation 'Undo lock single pack' for the pack verified in Step 2. Take a screenshot showing the result.	The operation is successfully completed.	
5	Perform the operation 'Verify single pack' for the pack used in Step 3. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	

8.2.7 PTMVS-W-07 Destroy single pack

Description	Test case to verify that transaction 'Destroy single pack' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G110 Verify single pack G130 Destroy single pack		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation Destroy single pack' for a predefined pack. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack destroyed in Step 1. Take a screenshot showing the result.	The status of the pack is INACTIVE (DESTROYED) and the operation is successfully completed.	

8.2.8 PTMVS-W-08 Stolen single pack

Description	Test case to verify that transaction 'Stolen single pack' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G110 Verify single pack G180 Stolen single pack		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Stolen single pack' for the pack verified in Step 1. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack used in Step 2. Take a screenshot showing the result.	The status of the pack is INACTIVE (STOLEN) and the operation is successfully completed.	

8.2.9 PTMVS-W-09 Stolen single pack manual entry

Description	Test case to verify that transaction 'Stolen single pack' can be successfully performed by manually introducing the data into the system.		
Transactions	G110 Verify single pack. G182 Stolen single pack manual entry.		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Stolen single pack manual entry' for the pack verified in Step 1. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the pack used in Step 2. Take a screenshot showing the result.	The status of the pack is INACTIVE (STOLEN) and the operation is successfully completed.	



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 19 of 39

8.2.10 PTMVS-W-10 Alarm generation

Description	Test case to verify that a predefined pack not previously uploaded to the system generates an alarm.
Transactions	G110 Verify single pack
Precondition	The Wholesaler has been created in PTMVS. The used packs were not previously uploaded to PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for a predefined pack. Take a screenshot showing the result.	The pack does not exist in the system and an alarm should be generated.	

8.3 Test cases – Bulk pack transactions

8.3.1 PTMVS-W-11 Bulk verify packs, bulk dispense packs, undo bulk dispense packs and request bulk transaction result

Description	Test case to verify that transactions 'Bulk verify packs', 'Bulk dispense packs', 'Undo Bulk dispense packs' and 'Request bulk transaction result' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G115 Bulk verify packs G125 Bulk dispense packs G127 Bulk undo dispense packs G188 Request bulk transaction result		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk dispense packs' for packs verified in Step 2. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 3. Take a screenshot showing the result.	The status of all the packs is INACTIVE (DISPENSED) and the operation is successfully completed.	
5	Perform the operation 'Undo bulk dispense packs' for packs dispensed in Step 4. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 21 of 39

6	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 5. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
---	---	--	--

8.3.2 PTMVS-W-12 Bulk export packs to Non-EU and Undo bulk export packs to Non-EU

Description	Test case to verify that transactions 'Bulk export packs to Non-EU' and 'Undo bulk export packs to Non-EU' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G115 Bulk verify packs G145 Bulk export packs to Non-EU G147 Undo bulk export packs to Non-EU		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/> Yes	<input type="checkbox"/> No	
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk export packs to Non-EU' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (EXPORTED) and the operation is successfully completed.	
5	Perform the operation 'Undo Bulk export packs to Non-EU' for packs used in Step 2. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
6	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 3. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	

8.3.3 PTMVS-W-13 Bulk sample packs and Undo bulk sample packs

Description	Test case to verify that transactions 'Bulk sample packs' and 'Undo bulk sample packs' can be successfully performed via the Wholesaler IT system interface.	
Transactions	G115 Bulk verify packs G155 Bulk sample packs G157 Undo bulk sample packs	
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.	
Acceptance criteria	All steps could be successfully completed.	
Successfully completed	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.	
Defect report reference		
Performed by		

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk sample packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (SAMPLE) and the operation is successfully completed.	
5	Perform the operation 'Undo bulk sample packs' for packs used in Step 2. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
6	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 3. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	

8.3.4 PTMVS-W-14 Bulk free sample packs and Undo bulk free sample packs

Description	Test case to verify that transactions 'Bulk free sample packs' and 'Bulk undo free sample packs' can be successfully performed via the Wholesaler IT system interface.	
Transactions	G115 Bulk verify packs G165 Bulk free sample packs G167 Undo bulk free sample packs	
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.	
Acceptance criteria	All steps could be successfully completed.	
Successfully completed	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.	
Defect report reference		
Performed by		

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk free sample packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (FREE SAMPLE) and the operation is successfully completed.	
5	Perform the operation 'Undo bulk free sample packs' for packs used in Step 2. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
6	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 3. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	

8.3.5 PTMVS-W-15 Bulk lock packs and Undo bulk lock packs

Description	Test case to verify that transactions 'Bulk lock packs' and 'Bulk undo lock packs' can be successfully performed via the Wholesaler IT system interface.
Transactions	G115 Bulk verify packs G175 Bulk lock packs G177 Undo bulk lock packs
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk lock packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (LOCKED) and the operation is successfully completed.	
5	Perform the operation 'Undo bulk lock packs' for packs used in Step 2. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
6	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 3. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	

8.3.6 PTMVS-W-16 Bulk destroy packs

Description	Test case to verify that transaction 'Bulk destroy packs' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G115 Bulk verify packs G135 Bulk destroy packs		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk destroy packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (DESTROYED) and the operation is successfully completed.	

8.3.7 PTMVS-W-17 Bulk stolen packs

Description	Test case to verify that transaction 'Bulk stolen packs' can be successfully performed via the Wholesaler IT system interface.		
Transactions	G115 Bulk verify packs G185 Bulk stolen packs		
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.		
Acceptance criteria	All steps could be successfully completed.		
Successfully completed	<input type="checkbox"/>	Yes	<input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.		
Defect report reference			
Performed by			

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk stolen packs' for the packs verified in Step 2. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 3. Take a screenshot showing the result.	The status of all the packs is INACTIVE (STOLEN) and the operation is successfully completed.	

8.4 Test cases – Undo single pack transactions (10 days after the initial transaction)

8.4.1 PTMVS-W-18 Undo dispense single pack (10 days after the initial transaction)

Description	Test case to verify "Undo dispense single pack" after 10 days of a "dispense single pack" can't be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G110 Verify single pack G120 Dispense single pack G121 Undo dispense single pack
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation 'Verify single pack' for the predefined packs. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation 'Dispense single pack' for the packs verified in Step 1. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation 'Verify single pack' for the packs dispensed in Step 2. Take a screenshot showing the result.	The status of the pack is INACTIVE (DISPENSED) and the operation is successfully completed.	
4	Wait for 10 days	-	
5	Perform the operation 'Undo dispense single pack' for a predefined pack. Take a screenshot showing the result.	The status of the pack is INACTIVE (DISPENSED) and the Undo operation is not possible to complete.	

8.4.2 PTMVS-W-19 Undo export single pack (10 days after the initial transaction)

Description	Test case to verify that transactions “Undo export single pack” can’t be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G110 Verify single pack G140 Export single pack G141 Undo export single pack
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation ‘Verify single pack’ for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation ‘Export single pack’ for the pack verified in Step 1. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation ‘Verify single pack’ for the pack exported in Step 2. Take a screenshot showing the result.	The status of the pack is INACTIVE (EXPORTED) and the operation is successfully completed.	
4	Wait for 10 days	-	
5	Perform the operation ‘Undo export single pack’ for a predefined pack. Take a screenshot showing the result.	The status of the pack is INACTIVE (EXPORTED) and the Undo operation is not possible to complete.	

8.4.3 PTMVS-W-20 Undo sample single pack (10 days after the initial transaction)

Description	Test case to verify that transactions “Undo sample single pack” can’t be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G110 Verify single pack G150 Sample single pack G151 Undo sample single pack
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation ‘Verify single pack’ for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation ‘Sample single pack’ for a predefined pack. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation ‘Verify single pack’ for the pack sampled in Step 1. Take a screenshot showing the result.	The status of the pack is INACTIVE (SAMPLE) and the operation is successfully completed.	
4	Wait for 10 days	-	
5	Perform the operation ‘Undo sample single pack’ for a pre-defined pack. Take a screenshot showing the result.	The status of the pack is INACTIVE (SAMPLE) and the Undo operation is not possible to complete.	

8.4.4 PTMVS-W-21 Undo free sample single pack (10 days after the initial transaction)

Description	Test case to verify that transactions “Undo free sample single pack” can’t be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G110 Verify single pack G160 Free sample single pack G161 Undo free sample single pack
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs have been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation ‘Verify single pack’ for a predefined pack. Take a screenshot showing the result.	The status of the pack is ACTIVE and the operation is successfully completed.	
2	Perform the operation ‘Free sample single pack’ for a predefined pack. Take a screenshot showing the result.	The operation is successfully completed.	
3	Perform the operation ‘Verify single pack’ for the pack sampled in Step 1. Take a screenshot showing the result.	The status of the pack is INACTIVE (FREE SAMPLE) and the operation is successfully completed.	
4	Wait for 10 days	-	
5	Perform the operation ‘Undo sample Free sample single pack’ for a pre-defined pack. Take a screenshot showing the result.	The status of the pack is INACTIVE (FREE SAMPLE) and the Undo operation is not possible to complete.	

8.5 Test cases – Undo bulk pack transactions (10 days after the initial transaction)

8.5.1 PTMVS-W-22 Undo bulk dispense packs (10 days after the initial transaction)

Description	Test case to verify that transactions, “Undo bulk dispense packs” can´t be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G115 Bulk verify packs G125 Bulk dispense packs G127 Undo bulk dispense packs G188 Request bulk transaction result
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation ‘Bulk verify packs’ for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation ‘Request bulk transaction result’ by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation ‘Bulk dispense packs’ for packs verified in Step 2. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation ‘Request bulk transaction result’ by using the transaction ID received in Step 3. Take a screenshot showing the result.	The status of all the packs is INACTIVE (DISPENSED) and the operation is successfully completed.	
5	Wait for 10 days	-	
6	Perform the operation ‘Undo bulk dispense packs’ for the packs used	The status of all the packs is INACTIVE	



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 33 of 39

	in Step 1. Take a screenshot showing the result.	(DISPENSED) and the Undo operation is not possible to complete.	
--	--	---	--

8.5.2 PTMVS-W-23 Undo bulk export packs to Non-EU (10 days after the initial transaction)

Description	Test case to verify that transactions “Undo bulk export packs to Non-EU” can’t be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G115 Bulk verify packs G145 Bulk export packs to Non-EU G147 Undo bulk export packs to Non-EU
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation ‘Bulk verify packs’ for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation ‘Request bulk transaction result’ by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation ‘Bulk export packs to Non-EU’ for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation ‘Request bulk transaction result’ by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (EXPORTED) and the operation is successfully completed.	
5	Wait for 10 days	-	
6	Perform the operation ‘Undo bulk export packs to Non-EU’ for the packs used in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (EXPORTED) and the Undo operation is not possible to complete.	

8.5.3 PTMVS-W-24 Undo bulk sample packs (10 days after the initial transaction)

Description	Test case to verify that transactions “Undo bulk sample packs” can’t be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G115 Bulk verify packs G155 Bulk sample packs G157 Undo bulk sample packs
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation ‘Bulk verify packs’ for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation ‘Request bulk transaction result’ by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation ‘Bulk sample packs’ for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation ‘Request bulk transaction result’ by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (SAMPLE) and the operation is successfully completed.	
5	Wait for 10 days	-	
6	Perform the operation ‘Undo bulk sample packs’ for the packs used in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (SAMPLE) and the Undo operation is not possible to complete.	

8.5.4 PTMVS-W-25 Undo bulk free sample packs (10 days after the initial transaction).

Description	Test case to verify that transaction "Undo bulk free sample packs" can't be successfully performed via the Wholesaler IT system interface. This test case must be performed after 10 days of the initial transaction.
Transactions	G115 Bulk verify packs G165 Bulk free sample packs G167 Undo bulk free sample packs
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Perform the operation 'Bulk verify packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
2	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is ACTIVE and the operation is successfully completed.	
3	Perform the operation 'Bulk free sample packs' for the predefined packs. Take a screenshot showing the result.	A confirmation of receipt containing a transaction ID is returned and the operation is successfully completed.	
4	Perform the operation 'Request bulk transaction result' by using the transaction ID received in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (FREE SAMPLE) and the operation is successfully completed.	
5	Wait for 10 days	-	
6	Perform the operation 'Undo bulk free sample packs' for the packs used in Step 1. Take a screenshot showing the result.	The status of all the packs is INACTIVE (FREE SAMPLE) and the Undo operation is not possible to complete.	

8.6 Test cases – Download product master data

8.6.1 PTMVS-W-26 Download product master data – 1 code

Description	Test case to verify that the Wholesaler can download product master data stored in PTMVS.
Transactions	G101 Download product master data
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Request a download product master data for a predefined product. Take a screenshot showing the result.	The product master data is successfully downloaded. The data received is: - Product code - National product code - MAH registration number - List of contracted wholesalers (empty if product code not found).	



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 38 of 39

8.6.2 PTMVS-W-27 Download product master data – all codes

Description	Test case to verify that the Wholesaler can download product master data stored in PTMVS.
Transactions	G101 Download product master data
Precondition	The Wholesaler has been created in PTMVS. A sufficient number of products/packs has been uploaded in PTMVS.
Acceptance criteria	All steps could be successfully completed.
Successfully completed	<input type="checkbox"/> Yes <input type="checkbox"/> No
Packs used	Send file to PTMVO with the packs used.
Defect report reference	
Performed by	

Step	Description	Expected result	Actual result
1	Request a download product master data for all product master data available in the system. Take a screenshot showing the result.	The product master data is successfully downloaded. The data received is: - Product code - National product code - MAH registration number - List of contracted wholesalers	



SOP – Pilot phase approach - Wholesalers

Document Number: MVOPT-0050

Version: 4.0

Effective Date: 23-October-2018

Page 39 of 39

9. Related documents

Document Identification	Title
MVOPT-0035	Defect Report Template
MVOPT-0037	Access Request Form
MVOPT-0039	Access Request Form (PT)
MVOPT-0047	Onboarding of Wholesalers
MVOPT-0048	Services Agreement
MVOPT-0049	Services Agreement (PT)
MVOPT-0059	Pilot Report - Wholesalers